




BEARING DRIVESHAFT, INC.



7 mm x 22 mm x 7 mm KOYO 627 deep groove ball bearings

Bearing No. 627

627 Bearing 2D drawings and 3D CAD models

Size	7x22x7 mm
Bore Diameter	7 mm
Outer Diameter	22 mm
Width	7 mm
d	7 mm
D	22 mm
B	7 mm
C	7 mm
r min.	0,3 mm
r1 min.	0,3 mm
da min.	9 mm
Da max.	20 mm
ra max.	0,3 mm
Weight	0,013 Kg
Basic dynamic load rating (C)	3,3 kN
Basic static load rating (C0)	1,35 kN
(Grease) Lubrication Speed	31000 r/min
(Oil) Lubrication Speed	37000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	Open



BEARING DRIVESHAFT, INC.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	7MM Bore; 22MM Outside Diameter; 7MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Other Features	Deep Groove
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Weight / LBS	0.0287
Bore	0.276 Inch 7 Millimeter
Outside Diameter	0.866 Inch 22 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.276 Inch 7 Millimeter
Bearing No.	627
r(min)	0.3
Cr	4.10
C0r	1.35
Cu	0.060
f0	12.4



BEARING DRIVESHAFT, INC.

Grease lub.	31000
Oil lub.	37000
da(min)	9
Da(max)	20
ra(max)	0.3
(Refer.) Mass(g)	13