




# BEARING DRIVESHAFT, INC.



## NTN 742024/GNP4 thrust ball bearings

Bearing No. 742024/GNP4

742024/GNP4 Bearing 2D drawings and 3D CAD models

Size	110x170x60 mm
Bore Diameter	110 mm
Outer Diameter	170 mm
Width	60 mm
d	110 mm
D	170 mm
T	60 mm
Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	4.504
EAN	4547359454697
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 7   ISO P4
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	45 Degree
Preload	Light
Raceway Style	Not Applicable
Cage Material	Brass
Rolling Element	Ball Bearing
Mounting Arrangement	Universal
Flush Ground	Yes
Inch - Metric	Metric



## BEARING DRIVESHAFT, INC.

Other Features	Double Row   Angular Contact Thrust Bearing   Double Direction
Long Description	120MM Bore; 180MM Outside Diameter; 60MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; Steel Ball Material; 1 (Single) Bearing; 45 Degree Contact Angle; Brass Cage Material; Ball Bearing
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword 3	Thrust
Keyword String	Ball Angular Contact Thrust
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	742024/GNP4
Weight / LBS	9.921
Bore	4.724 Inch   120 Millimeter
Width	2.362 Inch   60 Millimeter
Outside Diameter	7.087 Inch   180 Millimeter
bore diameter:	120 mm
dynamic load capacity:	87000 N
outside diameter:	180 mm
operating temperature range:	-40 to 120 ° C
overall width:	60 mm
maximum rpm:	3800 rpm
thrust bearing type:	Double-Direction
bearing material:	High Carbon Chrome Steel
outside diameter design:	Straight
cage material:	Brass
separable or banded:	Separable



## BEARING DRIVESHAFT,INC.

fillet radius:	2 mm
precision rating:	ISO Class 4
series:	742
static load capacity:	223000 N
manufacturer product page:	<a href="#">Click here</a>